

Wave Armor



JOIN THE JET SKI
DOCKING

REVOLUTION!

SCOOTERDOCK & ATTACHMENT KIT PRICELIST 2020

Distribution in Nordic Region by Vantatech AS





















PRISLISTE 2020

Veil. Priser inkl. mva - Fra 01.01.2020

Distributør: Vantatech AS - Rett til prisendring uten varsel

Dele nr	Vare navn	Bestille antall	Veil. Inkl. mva.	Bilde	Katalog side
Gruppe 2 PWC WAVE PORTS					
301334	EVO Sport - W 147 x L 335 cm - Capacity: 410 kg (Molded in Bow stop Kit)		kr 18 900,00		
300954	SLX5 - W 150 x L 390 cm - Capacity: 680 kg (Inc. Bow stop Kit)		kr 23 900,00		
300957	SLX6 - W 185 x L 390 cm - Capacity: 910 kg (Inc. Bow stop Kit)		kr 25 900,00		
301575	EVO5 - W 150 x L 437 cm - Cap: 775 kg (Inc. 2 x snap in caps & Molded in Bow Stop Kit)		kr 29 900,00		
301576	EVO6 - W 185 x L 437 cm - Cap: 1000 kg (Inc. 2 x snap in caps & Molded in Bow Stop Kit)		kr 32 900,00		
Gruppe 2 PWC WAVE PORT ATTACHMENT KITS AND ACCESSORIES					
300103	2" Raised Pipe Sleeves (qty 2) - Inner measure 63 mm		kr 990,00		
301011	3" Flush Pipe Sleeves (qty 2) - Inner measure 92 mm		kr 1 050,00		
300041	4" Flush Pipe Sleeves (qty 2) - Inner measure 121 mm		kr 1 190,00		
301347	EVO Direct Connect to Wave Dock Kit		kr 2 250,00		
300998	SLX Direct Connect to Wave Dock Kit		kr 3 950,00		
301360	EVO to Floating Dock Attachment Kit		kr 1 300,00		
301308	SLX to Floating Dock Attachment Kit - 19 3/4" Galvanized C Channels		kr 4 100,00		
301309	SLX to Floating Dock Attachment Kit - 25 3/4" Galvanized C Channels		kr 4 600,00		
301281	Port to Fixed Dock Kit - fits 2" Pipes - Includes 2 Z-Brackets and 4 U-bolts		kr 2 200,00		
301282	Port to Fixed Dock Kit - fits 4" Pipes - Includes 2 Z-Brackets and 4 U-bolts		kr 2 300,00		
301434	Telescoping PWC Port to Fixed Dock Kit - 2" - adjusts from 40,6cm to 61cm (qty 2)		kr 5 900,00		
301435	Telescoping PWC Port to Fixed Dock Kit - 4" - adjusts from 40,6cm to 61cm (qty 2)		kr 5 900,00		
301436	Extension Arm Kit for SLX or EVO Wave Ports - adjusts from 40,6cm to 61cm (qty 2)		kr 5 900,00		
300116	Snap-in Cap for SLX or EVO Wave Ports (qty 2)		kr 900,00		
301269	PWC Stainless Steel Tethering Chain and Carabineer Clip		kr 495,00		
301514	EVO Sport Bolt-in Caps (qty 2)		kr 650,00		
300046	SLX & EVO Port to Port Connection Kit (qty 2)		kr 2 900,00		
300498	SLX & EVO Buoyancy Booster Kit (qty 2) - Additional 40 kg		kr 1 350,00		

300115	SLX & EVO Side Extension Deck w/ Connection Kit		kr 10 900,00		
301108	SLX Bow Stop Kit		kr 990,00		
300095	SLX Post Extension Attachment Arms - fits 2" Pipes (qty 2) Inner measure 63mm		kr 3 200,00		
300096	SLX Post Extension Attachment Arms - fits 4" Pipes(qty 2)Inner measure 121mm		kr 3 200,00		
301640	EVO Replacement Wheel Kit - 5 cm W x 15,2 cm H - (qty 1) - 2019 and Older - Limited Quantities		kr 1 250,00		
300456	SLX Wheel Kit (qty 2) - 2019 and Older - Limited Quantities		kr 990,00		
301931	EVO 5/6 Replacement Wheel Kit (qty 1) - RED WHEEL (incl. 1 Wheel, 1 Axle, 2 Spacers)		kr 690,00		
301929	EVO Sport Replacment Wheel Kit (qty 1) RED WHEEL (incl. 1 Wheel, 1 Axle, 2 Washers)		kr 650,00		
301930	SLX Replacement Kit (qty 1) - BLUE WHEEL (incl. 1 Wheel, 1 Axle, 2 Washers)		kr 650,00		
Gruppe 1 EVO 7 BOAT PORTS					
301828	EVO 716' - W 215 x L 490 cm (122cm Tail) - Capacity: 1300 kg - (Inc. Aluminum Dock Cleat) <i>"New for 2020"</i>		kr 47 900,00		
301832	EVO 720' - 215 W x 610 cm L (244cm Tail) - Capacity: 1600 kg - (Inc. Aluminum Dock Cleat) <i>"New for 2020"</i>		kr 55 900,00		
Gruppe 1 EVO 7 BOAT PORT ATTACHEMENT KITS					
301858	EVO 7 to Wave Dock Attachement Kit		kr 1 850,00		
301857	EVO 7 to Floating Dock Attachment Kit		kr 2 950,00		
301859	EVO 7 2" Post Attachment Kit - Inner measure 63 mm		kr 3 350,00		
	EVO 7 3" Post Attachment Kit - Inner measure 92 mm				
301363	SLX10 / EVO 7 Extension Brackets (Adjustable 121,9 cm-231,1 cm)		kr 6 150,00		
301364	SLX10 / EVO 7 Extension Brackets (Adjustable 61 cm-106,6 cm)		kr 6 850,00		
301823	Buoyancy Booster - Additional 140 kg lift on entrance section		kr 1 500,00		
	EVO 7 Wheel Kit 20,3 cm Upgrade RED WHEEL (incl. 1 Wheel, 1 Axle, 4 Bushings)		kr 600,00		
	EVO 7 Replacement Wheel Kit 15,2 cm - (qty 1) RED WHEEL (incl. 1 Wheel, 1 Axle, 5 Bushings)		kr 550,00		



EVO SPORT



EVO SPORT WAVE PORTS

Wave Armor PWC Ports are virtually the only unsinkable drive-on/roll-off PWC docking systems available on the market! The Foam-Filled Interior increases buoyancy & structural integrity.



EVO SPORT



The EVO Sport is specifically designed for smaller, lightweight PWCs (Sea-doo® Spark and Yamaha® EX series) or stand up models. Featuring the direct-connect system for ease of installation, the EVO Sport can quickly and easily connect to your floating or fixed dock or set up as a stand-alone port.

FEATURES:

- Rotationally Molded UV Protected Polyethylene Construction
- 12 Adjustable Wheels with Stainless Steel Axle for Corrosion Resistance in Saltwater
- Smart Stop Soft Rubber Bow Stop with Stainless Steel Chain & Quick Clip Tie Down System
- Molded-In Direct Connect Mounts on Front of Port
- Tan Flagstone Textured Finish

EVO SPORT WAVE PORT

SKU: 301334

Port Size: B 147 x L 335 cm.

Weight: 81 Kg.

Load Capacity: 410 Kg.

WaveArmor.no




EVO SPORT ATTACHMENT KITS & ACCESSORIES

EVO SPORT ATTACHMENT KITS




EVO to Wave Dock Attachment Kit
301347



EVO to Floating Dock Attachment Kit
Includes two 65 cm. C-Channels
301360



Alu. Extension Arm Kit
301436 - Adjusts from 41 to 61 cm (2qty)
Use for EVO series part no. 301360



Port to Fixed Dock Attachment Kit
301281 - Fits 2" Pipe
301282 - Fits 4" Pipe



Telescoping Port to Fixed Dock Kit
(Adjusts from 41 to 61 cm)
301434 - Fits 2" Pipe
301435 - Fits 4" Pipe

EVO SPORT ACCESSORIES



Replacement Wheel Kit
300456



Pipe Sleeves
300103 - 2" Raised (Inner measure 63 mm)
301011 - 3" Flush (Inner measure 92 mm)
300041 - 4" Flush (Inner measure 121 mm)




EVO Sport Bolt-in Cap
301514

SLX5 & SLX6



SLX5 & SLX6 WAVE PORTS

Wave Armor PWC Ports are virtually the only unsinkable drive-on/roll-off PWC docking systems available on the market! The Foam-Filled Interior increases buoyancy & structural integrity.



SLX5

SLX6

Wave Armor SLX Series was the first on the market to have a foam-filled inner core and fully adjustable, individual roller system. Feature rich and easy to use!

FEATURES:

- Rotationally Molded UV Protected Polyethylene Construction
- 12 Adjustable Wheels with Stainless Steel Axle for Corrosion Resistance in Saltwater
- Non-Skid, Flagstone Textured Finish
- Molded-In Mounting Pockets In All Corners for front or side mounting
- 8 Year Warranty

SLX5 WAVE PORT

SKU: 300954

Port Size: B 150 x L 390 cm.

Weight: 130 Kg.

Load Capacity: 680 Kg.

SLX6 WAVE PORT

SKU: 300957

Port Size: B 185 x L 390 cm.

Weight: 145 Kg.

Load Capacity: 910 Kg.

SLX5 & SLX6 ATTACHMENT KITS & ACCESSORIES


SLX ATTACHMENT KITS



SLX to Wave Dock Attachment Kit
300998



SLX to Floating Dock Attachment Kit
301308 - 50 cm. C-Channel
301309 - 65 cm. C-Channel



Port to Fixed Dock Attachment Kit
301281 - Fits 2" Pipe
301282 - Fits 4" Pipe



Telescoping Port to Fixed Dock Kit
(Adjusts from 41 to 61 cm)
301434 - Fits 2" Pipe
301435 - Fits 4" Pipe



Alu. Extension Arm Kit
301436 - Adjusts from 41 to 61 cm (2qty)
Use for SLX series part no. 301308



Post Extension Arms
300095 - Fits 2" Pipe
(Inner measure 63 mm)
300096 - Fits 4" Pipe
(Inner measure 121 mm)

SLX ACCESSORIES



Snap-in Cap
300116



Port to Port Connector
300046



Side Extension Kit
(Comes w/ port to port connector)
Adds 56 cm to width of Port 300115



Buoyancy Booster
Additional 40 kg
300498



SLX Replacement Wheel Kit
300456



Pipe Sleeves
300103 - 2" Raised
(Inner measure 63 mm)
301011 - 3" Flush
(Inner measure 92 mm)
300041 - 4" Flush
(Inner measure 121 mm)



Tethering Chain and Clip
301269

EVO5 & EVO6



EVO5 & EVO6 WAVE PORTS

Wave Armor PWC Ports are virtually the only unsinkable drive-on/roll-off PWC docking systems available on the market! The Foam-Filled Interior increases buoyancy & structural integrity.



EVO5

EVO6

The Evolution Series are the largest and easiest to use PWC ports on the market. At over 14' long, they can accommodate the largest PWCs and even small boats.

FEATURES:

- Rotationally Molded UV Protected Polyethylene Construction
- Smart Stop Soft Rubber Bow Stop with Stainless Steel Chain & Quick Clip Tie Down System
- 14 Adjustable Wheels with Stainless Steel Wheel Axle for Corrosion Resistance in Saltwater
- Molded-In Direct Connect Mounts on Front of Ports
- Mounting Pockets In All Corners for front or side mounting
- One Set of Snap-In Caps Included
- Tan, Flagstone Textured Finish
- 8 Year Warranty

EVO5 WAVE PORT

SKU: 301575

Port Size: B 150 x L 437 cm.

Weight: 136 Kg.

Load Capacity: 775 Kg.

EVO6 WAVE PORT

SKU: 301576

Port Size: B 185 x L 437 cm.

Weight: 154 Kg.


Load Capacity: 1000 Kg.

EVO5 & EVO6 ATTACHMENT KITS & ACCESSORIES

EVO ATTACHMENT KITS



EVO to Wave Dock Attachment Kit
301347



EVO to Floating Dock Attachment Kit Includes two 65 cm C-Channels
301360



Port to Fixed Dock Attachment Kit 301281 - Fits 2" Pipe
301282 - Fits 4" Pipe



Telescoping Port to Fixed Dock Kit
Adjusts from 41 to 61 cm.
301434 - Fits 2" Pipe
301435 - Fits 4" Pipe



Alu. Extension Arm Kit
301436 - Adjusts from 41 to 61 cm (2qty)
Use for EVO series part no. 301360



Post Extension Arms Side Mount Only
300095 - Fits 2" Pipe
(Inner measure 63 mm)
300096 - Fits 4" Pipe
(Inner measure 121 mm)

EVO ACCESSORIES



Snap-in Cap
300116



Side Extension Kit
(Comes w/ port to port connector)
Adds 56 cm to width of Port
300115



Side Extension Kit
Adds 56 cm to width of Port
300115



EVO Replacement Wheel Kit
301640



Pipe Sleeves
300103 - 2" Raised (Inner measure 63 mm)
301011 - 3" Flush (Inner measure 92 mm)
300041 - 4" Flush (Inner measure 121 mm)




Buoyancy Booster
Additional 40 kg
300498

NEW

EVO 7 BOAT PORT



The Next Step in the Evolution of Boat Docking! Here at Wave Armor we continue to Lead the Industry by our Dedication to Innovation. Introducing the New Evolution 7 Series Boat Port. Designed for Boats Ranging Between 15' to 21' (4,5 - 6,5 meters) and Load Capacity from 1300 to 1600 Kg.



EVO 7-16
#301828

EVO 7-20
#301832

Alu .Cleat included

EVO 7 is the largest of the Evolution Series Ports and a perfect alternative to conventional boat lifts. Its exclusive design allows you to expand the size of the port adjusting to a wide variety of boats and watercrafts. Its innovative design provides effortless drive on/roll off access, utilizing a self-centered adjustable wheel system and an innovative pin connection.

FEATURES:

- Marine Grade Foam Filled RotoMolded Construction
- UV Resistant, Non-Skid Flagstone Textured Finish
- 89 cm x 153 cm Wide Soft Wheels for Exceptional Support
- 18 wheels (EVO 7-16), 24 wheels (EVO 7-20)
- Adjustable HD SmartWheel™ System
- Self-Leveling Entrance
- Stainless Steel Wheel Axles for Corrosion Resistance in Saltwater
- Multiple Wheel Pockets for easy adjustment to Wide Range of Boat Hulls
- Molded-In Front Mounting Brackets to connect to any dock
- Winch Plate Area with Optional Winch Kit
- 8 Year Warranty



EVO 7-16

SKU: 301828
Port Size: 215 cm x 490 cm
Weight: 227 Kg.
Load Capacity: 1300 Kg.

EVO 7-20

SKU: 301832
Port Size: 215 cm x 610 cm.
Weight: 260 Kg.
Load Capacity: 1600 Kg.

wavearmor.no



NEW

EVO 7 BOAT PORT




EVO 7 ATTACHMENT KITS



#301858

EVO 7 to Wave Dock Attachment Kit



#301857

EVO 7 to Floating Dock Attachment Kit




#301859

EVO 7 2" Post Attachment Kit

Comes in 2" & 3"

EVO 7 ACCESSORIES



#301363

121,9 cm-231,1 cm

#301364

61 cm-106,6 cm

EVO 7 Extension Brackets Adjustable



#301832

Buoyancy Booster - Additional 140kg



Winch



EVO 7 Replacement Wheel Kit

Wave Armor

ENGINEERED

EXCELLENCE!



INNOVATIVE SOLUTIONS **VANTA TECH** PREMIUM SELECTED BRANDS



Titangata 10A, 1630 Gamle Fredrikstad
+47 45 43 42 80 - post@vantatech.no
www.wavearmor.no - www.vantatech.no

